



## SAFETY DATA SHEET

### Simoniz Dashboard Cleaner

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

|                                 |                                                                                                                   |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Product name</b>             | Simoniz Dashboard Cleaner                                                                                         |
| <b>Product number</b>           | 5010218003910, SAPP0127A, SAPP0131A, SAPP0077A, SAPP0153A                                                         |
| <b>REACH registration notes</b> | This is a MIXTURE; no registration information contained in this document . Holts are classed as Downstream User. |

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                        |                                             |
|------------------------|---------------------------------------------|
| <b>Identified uses</b> | Dashboard Shine / Nettoyant tableau de bord |
|------------------------|---------------------------------------------|

##### 1.3. Details of the supplier of the safety data sheet

|                       |                                                                                                                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Supplier</b>       | A Holts Car Care Product<br>Holt Lloyd International Ltd<br>Barton Dock Road<br>Stretford<br>Manchester<br>M32 0YQ - England, UK<br>+44 (0) 161 866 4800<br>FAX +44 (0) 161 866 4854<br>www.holtsauto.com |
| <b>Contact person</b> | Regulatory Affairs, Contact Email address: info@holtsauto.com                                                                                                                                             |

##### 1.4. Emergency telephone number

|                            |                                                                                                 |
|----------------------------|-------------------------------------------------------------------------------------------------|
| <b>Emergency telephone</b> | UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs Out of office hours Tel: 020 7358 9167 |
|----------------------------|-------------------------------------------------------------------------------------------------|

**National emergency telephone number** <https://poisoncentres.echa.europa.eu/>

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

|                              |                        |
|------------------------------|------------------------|
| <b>Physical hazards</b>      | Aerosol 1 - H222, H229 |
| <b>Health hazards</b>        | Not Classified         |
| <b>Environmental hazards</b> | Not Classified         |

**Classification (67/548/EEC or 1999/45/EC)** F+;R12.

##### 2.2. Label elements

## Simoniz Dashboard Cleaner

### Pictogram



### Signal word

Danger

### Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurised container: may burst if heated

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
P102 Keep out of reach of children.  
P101 If medical advice is needed, have product container or label at hand.  
P501 Dispose of contents/ container in accordance with local regulations.

### Detergent labelling

5 - < 15% aliphatic hydrocarbons, < 5% perfumes

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### BUTANE

30-60%

CAS number: 106-97-8

EC number: 203-448-7

##### Classification

Flam. Gas 1 - H220  
Press. Gas

##### Classification (67/548/EEC or 1999/45/EC)

F+;R12

##### ISOBUTANE

10-30%

CAS number: 75-28-5

EC number: 200-857-2

##### Classification

Flam. Gas 1 - H220  
Press. Gas

##### Classification (67/548/EEC or 1999/45/EC)

F+;R12

##### Naphtha (petroleum), hydrotreated heavy (<0.1% Benzene)

5-10%

CAS number: 64742-48-9

EC number: 265-150-3

##### Classification

Flam. Liq. 3 - H226  
STOT SE 3 - H336  
Asp. Tox. 1 - H304

##### Classification (67/548/EEC or 1999/45/EC)

Xn;R65. R10,R66,R67.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### Inhalation

Move affected person to fresh air at once. Get medical attention if any discomfort continues.

## Simoniz Dashboard Cleaner

|                     |                                                                                                                                                                                                     |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ingestion</b>    | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues. |
| <b>Skin contact</b> | Remove affected person from source of contamination. Get medical attention if irritation persists after washing.                                                                                    |
| <b>Eye contact</b>  | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.     |

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemicals, sand, dolomite etc.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Fire creates: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### 5.3. Advice for firefighters

**Protective actions during firefighting** Control run-off water by containing and keeping it out of sewers and watercourses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.2. Environmental precautions

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

**Storage class** Flammable liquid storage.

### 7.3. Specific end use(s)

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### Occupational exposure limits

#### **BUTANE**

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

#### **ISOBUTANE**

## Simoniz Dashboard Cleaner

Long-term exposure limit (8-hour TWA): OES 800 ppm

Short-term exposure limit (15-minute): OES 800 ppm

WEL = Workplace Exposure Limit

**Ingredient comments** WEL = Workplace Exposure Limits

### NON HAZARDOUS INGREDIENTS

**Ingredient comments** WEL = Workplace Exposure Limits

#### 8.2. Exposure controls

##### Protective equipment



##### **Appropriate engineering controls**

Provide adequate general and local exhaust ventilation.

##### **Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

##### **Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Rubber (natural, latex). EN374

##### **Other skin and body protection**

Wear appropriate clothing to prevent any possibility of skin contact.

##### **Hygiene measures**

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

|                        |                                |
|------------------------|--------------------------------|
| <b>Appearance</b>      | Liquid.                        |
| <b>Colour</b>          | Colourless.                    |
| <b>Odour</b>           | New Car                        |
| <b>Solubility(ies)</b> | Miscible with water. Alcohols. |

#### 9.2. Other information

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidising agents.

## Simoniz Dashboard Cleaner

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                     |                                                                              |
|---------------------|------------------------------------------------------------------------------|
| <b>Inhalation</b>   | High concentration of mist may be irritating to the upper respiratory tract. |
| <b>Ingestion</b>    | May cause discomfort if swallowed.                                           |
| <b>Skin contact</b> | Prolonged or repeated exposure may cause severe irritation.                  |
| <b>Eye contact</b>  | Repeated exposure may cause chronic eye irritation.                          |

## SECTION 12: Ecological Information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

### 14.1. UN number

|                         |      |
|-------------------------|------|
| <b>UN No. (ADR/RID)</b> | 1950 |
| <b>UN No. (IMDG)</b>    | 1950 |
| <b>UN No. (ICAO)</b>    | 1950 |
| <b>UN No. (ADN)</b>     | 1950 |

### 14.2. UN proper shipping name

|                                       |          |
|---------------------------------------|----------|
| <b>Proper shipping name (ADR/RID)</b> | AEROSOLS |
| <b>Proper shipping name (IMDG)</b>    | AEROSOLS |
| <b>Proper shipping name (ICAO)</b>    | AEROSOLS |
| <b>Proper shipping name (ADN)</b>     | AEROSOLS |

### 14.3. Transport hazard class(es)

|                                    |     |
|------------------------------------|-----|
| <b>ADR/RID class</b>               | 2.1 |
| <b>ADR/RID classification code</b> | 5F  |

## Simoniz Dashboard Cleaner

|                     |     |
|---------------------|-----|
| ADR/RID label       | 2.1 |
| IMDG class          | 2.1 |
| ICAO class/division | 2.1 |
| ADN class           | 2.1 |

### Transport labels



### 14.4. Packing group

|                       |      |
|-----------------------|------|
| ADR/RID packing group | None |
| IMDG packing group    | None |
| ADN packing group     | None |
| ICAO packing group    | None |

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

|                         |          |
|-------------------------|----------|
| EmS                     | F-D, S-U |
| ADR transport category  | 2        |
| Tunnel restriction code | (D)      |

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|                      |                                                                                                                                                                                                                                                                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| National regulations | The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).<br>The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).                                                                                                                                                                                                 |
| EU legislation       | Dangerous Substances Directive 67/548/EEC.<br>Dangerous Preparations Directive 1999/45/EC.<br>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).<br>Aerosol Dispensers Directive 2008/47/EC (2008/47/EC) |

### 15.2. Chemical safety assessment

## SECTION 16: Other information

|                 |            |
|-----------------|------------|
| Revision date   | 07/10/2015 |
| Revision        | 2          |
| Supersedes date | 30/10/2012 |

## Simoniz Dashboard Cleaner

|                                  |                                                                                                                                                                                                                                                             |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SDS number</b>                | 14524                                                                                                                                                                                                                                                       |
| <b>SDS status</b>                | Approved.                                                                                                                                                                                                                                                   |
| <b>Risk phrases in full</b>      | R10 Flammable.<br>R12 Extremely flammable.<br>R65 Harmful: may cause lung damage if swallowed.<br>R66 Repeated exposure may cause skin dryness or cracking.<br>R67 Vapours may cause drowsiness and dizziness.                                              |
| <b>Hazard statements in full</b> | H220 Extremely flammable gas.<br>H222 Extremely flammable aerosol.<br>H226 Flammable liquid and vapour.<br>H229 Pressurised container: may burst if heated<br>H304 May be fatal if swallowed and enters airways.<br>H336 May cause drowsiness or dizziness. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.