



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and
Regulation (EC) No. 1272/2008

Issuing Date 26-Jul-2022

Revision Date 04-Apr-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Quick Shot

Product Code(s) AQS

Synonyms None

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Fuel system cleaner and stabilizer

Uses advised against Avoid formation of mists

1.3. Details of the supplier of the safety data sheet

Supplier

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880, USA
T: +1 715-392-7101

For further information, please contact

E-mail address compliance@amsoil.com

1.4. Emergency telephone number

Emergency telephone CHEMTREC International: +1 703-741-5970

Emergency telephone - §45 - (EC)1272/2008

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Contains Base oil; Kerosine, petroleum, hydrodesulfurized; Kerosine (petroleum)



Signal word
Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H412 - Harmful to aquatic life with long lasting effects.
H336 - May cause drowsiness or dizziness.

Precautionary Statements - EU (§28, 1272/2008)

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash face, hands and any exposed skin thoroughly after handling.
P280 - Wear protective gloves.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P321 - Specific treatment (see supplemental first aid instructions on this label).
P331 - Do NOT induce vomiting.

20 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Other hazards No information available.

PBT & vPvB None known

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Base oil 64742-47-8	90-95	No data available	265-149-8 (649-422-00-2)	Asp. Tox. 1 (H304)	-	-	-
Kerosine, petroleum, hydrodesulfurized 64742-81-0	1-10	No data available	265-184-9 (649-423-00-8)	Flam. Liq. 3 (H226) Skin Irrit. 2	-	-	-

				(H315) STOT SE 3 (H336) Aquatic Acute 3 (H402) Aquatic Chronic 2 (H411)			
Kerosine (petroleum) 8008-20-6	1-10	No data available	232-366-4 (649-404-00-4)	Flam. Liq. 3 (H226) Skin Irrit. 2 (H315) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Acute 2 (H401) Aquatic Chronic 2, H411"	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Base oil 64742-47-8	5000	2000	5.2	No data available	No data available
Kerosine, petroleum, hydrodesulfurized 64742-81-0	5000	2000	5.2	No data available	No data available
Kerosine (petroleum) 8008-20-6	5000	2000	5.28	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

	present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Difficulty in breathing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Effects of Exposure	None.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Water spray, carbon dioxide (CO ₂), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous combustion products	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for firefighters

Specific/special fire-fighting measures	Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter protection, and actions to control or extinguish the fire.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.
-----------------------------	--

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections For additional information see: Section 8: Exposure controls/personal protection; Section 12: Ecological information; Section 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Do not reuse empty containers. Store away from incompatible materials. See section 10 for more information. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Specific use(s). The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Under conditions which may generate mists, the following exposure limits are recommended: Long-term exposure limit (8-hour TWA): 5 mg/m³. Short-term exposure limit (15-minute): 10 mg/m³.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Kerosine (petroleum)	-	-	TWA: 200 mg/m ³	TWA: 300.0 mg/m ³	-

8008-20-6			Sk*		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Base oil 64742-47-8	-	-	-	TWA: 5 mg/m ³ STEL: 500 mg/m ³	-
Kerosine (petroleum) 8008-20-6	-	-	-	TWA: 5 mg/m ³ STEL: 500 mg/m ³	-
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Base oil 64742-47-8	-	TWA:	TWA: 5 mg/m ³ TWA: 50 ppm TWA: 350 mg/m ³ Peak: 20 mg/m ³ Peak: 100 ppm Peak: 700 mg/m ³	-	-
Kerosine (petroleum) 8008-20-6	-	TWA:	TWA: 5 mg/m ³ TWA: 50 ppm TWA: 350 mg/m ³ Peak: 20 mg/m ³ Peak: 100 ppm Peak: 700 mg/m ³	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Kerosine, petroleum, hydrodesulfurized 64742-81-0	-	-	TWA: 200 mg/m ³ Sk*	-	-
Kerosine (petroleum) 8008-20-6	Sk*	-	TWA: 200 mg/m ³ Sk*	-	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Kerosine (petroleum) 8008-20-6	-	-	-	-	TWA: 100 mg/m ³ STEL: 300 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Kerosine, petroleum, hydrodesulfurized 64742-81-0	TWA: 200 ppm Sk*	-	-	-	-
Kerosine (petroleum) 8008-20-6	TWA: 200 ppm Sk*	-	-	-	TWA: 200 mg/m ³ Sk*
Chemical name	Sweden		Switzerland		United Kingdom
Base oil 64742-47-8	-		TWA: 50 ppm TWA: 350 mg/m ³ TWA: 5 mg/m ³ STEL: 100 ppm STEL: 700 mg/m ³		-
Kerosine (petroleum) 8008-20-6	-		TWA: 50 ppm TWA: 350 mg/m ³ TWA: 5 mg/m ³ STEL: 20 mg/m ³ STEL: 100 ppm STEL: 700 mg/m ³		-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Base oil 64742-47-8	18.75 mg/kg bw/day [4] [6]	-	-

Chemical name	Oral	Dermal	Inhalation
Kerosine, petroleum, hydrodesulfurized 64742-81-0	18.75 mg/kg bw/day [4] [6]	-	-

Notes

[4]

Systemic health effects.

[6]

Long term.

Predicted No Effect Concentration (PNEC) No information available.**8.2. Exposure controls****Engineering controls**

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment**Eye/face protection**

If there is a risk of contact: Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection

If there is a risk of contact: Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Wear suitable gloves. Impervious gloves. Gloves must conform to standard EN 374.

Skin and body protection

If there is a risk of contact: Wear suitable protective clothing. Long sleeved clothing. (EN ISO 6529).

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance****Physical state**

Liquid

Colour

Orange colour

Odour

Mild hydrocarbon

Odour threshold

No information available

Property**Values****Remarks • Method**

Melting point / freezing point

-42 °C

No data available

Initial boiling point and boiling range

No data available

Flammability

No data available

Flammability Limit in Air

Upper flammability or explosive limits

No data available

Lower flammability or explosive limits

No data available

Flash point

94 °C

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

pH

No data available

pH (as aqueous solution)		No data available
Kinematic viscosity	<7 cSt	No data available
Dynamic viscosity		No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Vapour pressure		No data available
Relative density		No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapours. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
-----------------	--

Acute toxicity**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral)	25,025.00 mg/kg
ATEmix (dermal)	10,010.00 mg/kg
ATEmix (inhalation-dust/mist)	26.2247 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Base oil 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Kerosine, petroleum, hydrodesulfurized 64742-81-0	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5200 mg/m ³ (Rat) 4 h
Kerosine (petroleum) 8008-20-6	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.28 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Base oil 64742-47-8	-	LC50: =45mg/L (96h, Pimephales promelas) LC50: =2.2mg/L (96h, Lepomis macrochirus) LC50: =2.4mg/L (96h, Oncorhynchus mykiss)	-	-
Kerosine, petroleum, hydrodesulfurized 64742-81-0	-	LC50: =45mg/L (96h, Pimephales promelas) LC50: =1740mg/L (96h, Lepomis macrochirus)	-	LC50: =4720mg/L (48h, Den-dronereides heteropoda)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Base oil 64742-47-8	The substance is not PBT / vPvB
Kerosine, petroleum, hydrodesulfurized 64742-81-0	The substance is not PBT / vPvB
Kerosine (petroleum) 8008-20-6	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG Not regulated

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name Not regulated

14.3 Transport hazard class(es) Not regulated

14.4 Packing group Not applicable

14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments No information available

RID Not regulated

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name Not regulated

14.3 Transport hazard class(es) Not regulated

14.4 Packing group Not applicable

14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None

ADR Not regulated

14.1 UN number or ID number Not regulated

14.2 UN proper shipping name Not regulated

14.3 Transport hazard class(es) Not regulated

14.4 Packing group Not applicable

14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None

ADN Not regulated

14.1 UN/ID no Not regulated

14.2 EPNN Not regulated

14.3 Transport hazard class(es) Not regulated

14.4 Packing group Not applicable

14.5 Environmental hazard Not applicable

14.6 Special Precautions for Users

Special Provisions None

IATA Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special Precautions for Users
Special Provisions None
Note: None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Base oil 64742-47-8	RG 84
Kerosine, petroleum, hydrodesulfurized 64742-81-0	RG 84
Kerosine (petroleum) 8008-20-6	RG 84

Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Kerosine (petroleum) - 8008-20-6	2500	25000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H336 - May cause drowsiness or dizziness
H401 - Toxic to aquatic life
H402 - Harmful to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
SCBA	Self-contained breathing apparatus		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Issuing Date 26-Jul-2022

Revision Date 04-Apr-2024

Revision Note Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet