



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Commission Regulation (EU) 2020/878 and
Regulation (EC) No. 1272/2008

Issuing Date 07-Jun-2023

Revision Date 07-Jun-2023

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name European Car Formula SAE 5W-40 Classic ESP Synthetic Motor Oil

Product Code(s) EFM

Synonyms None

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Engine oil

Uses advised against Avoid formation of mists

1.3. Details of the supplier of the safety data sheet

Manufacturer

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880, USA
T: +1 715-392-7101

For further information, please contact

E-mail address compliance@amsoil.com

1.4. Emergency telephone number

Emergency telephone CHEMTREC (Poland): 48-223988029
CHEMTREC International: +1 703-741-5970

Emergency telephone - §45 - (EC)1272/2008

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.2. Label elements

Hazard statements

Not classified

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Hydrogenated base oil 64742-54-7	50-60	No data available	(649-467-00-8) 265-157-1	Carc. 1B [*L](H350)	-	-	-
Hydrogenated base oil 64742-54-7	20-25	No data available	(649-467-00-8) 265-157-1	Carc. 1B (H350) (*L)	-	-	-
Hydrogenated base oil 64742-65-0	1-5	No data available	(649-474-00-6) 265-169-7	Carc. 1B (*L) (H350)	-	-	-
Vinyl acetate 108-05-4	< 0.01	No data available	(607-023-00-0) 203-545-4	Acute Tox. 4 (H332) Carc. 2 (H351) STOT SE 3 (H335) Flam. Liq. 2 (H225) [C]	-	-	-
Toluene 108-88-3	< 0.01	-	(601-021-00-3) 203-625-9	Skin Irrit. 2 (H315) Repr. 2 (H361d) STOT SE 3 (H336) STOT RE 2 (H373) Asp. Tox. 1 (H304) Flam. Liq. 2 (H225)	-	-	-
Calcium long chain alkyl salicylate 114959-46-5	< 0.01	No data available	No information available	No data available	-	-	-
bis(nonylphenyl)amine 36878-20-3	< 0.01	No data available	253-249-4	Aquatic Chronic 4 (H413)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Hydrogenated base oil 64742-54-7	15015	5005	No data available	No data available	No data available
Hydrogenated base oil 64742-54-7	15015	5005	No data available	No data available	No data available
Hydrogenated base oil 64742-65-0	15015	5005	2.4024	No data available	No data available
Vinyl acetate 108-05-4	2900	2335	No data available	12.956	No data available
Toluene 108-88-3	2600	12000	12.5	No data available	No data available
Calcium long chain alkyl salicylate 114959-46-5	5005	2002	No data available	No data available	No data available
bis(nonylphenyl)amine 36878-20-3	5005	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Get medical attention immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Take off contaminated clothing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause temporary eye irritation. May cause gastrointestinal discomfort if consumed in large amounts. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation in susceptible persons.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for firefighters

Specific/special fire-fighting measures Fires need to be assessed to determine appropriate protocols and safety measures for firefighting, including establishing safe zones, extinguishing media to be used, firefighter protection, and actions to control or extinguish the fire.

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. See section 8 for more information.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections For additional information see: Section 8: Exposure controls/personal protection; Section 12: Ecological information; Section 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with used product. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Wash thoroughly after handling.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Do not reuse empty containers. Store away from incompatible materials. See section 10 for more information. Protect from physical damage.
---------------------------	---

Storage class (TRGS 510)	LGK 10.
---------------------------------	---------

7.3. Specific end use(s)

Specific use(s).	The identified uses for this product are detailed in Section 1.2.
-------------------------	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits	Under conditions which may generate mists, the following exposure limits are recommended: Long-term exposure limit (8-hour TWA): 5 mg/m ³ . Short-term exposure limit (15-minute): 10 mg/m ³ .
------------------------	--

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Vinyl acetate 108-05-4	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	-	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	STEL: 10 ppm STEL: 35.2 mg/m ³ TWA: 5 ppm TWA: 17.6 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³
Toluene 108-88-3	TWA: 50 ppm TWA: 192 mg/m ³ *	TWA: 50 ppm TWA: 190 mg/m ³ STEL 100 ppm STEL 380 mg/m ³ H*	TWA: 20 ppm TWA: 77 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ D*	STEL: 100 ppm STEL: 384.0 mg/m ³ TWA: 50 ppm TWA: 192.0 mg/m ³ K*	TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ *
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Vinyl acetate 108-05-4	STEL: 35.2 mg/m ³ STEL: 10 ppm TWA: 17.6 mg/m ³ TWA: 5 ppm	TWA: 18 mg/m ³ Ceiling: 36 mg/m ³	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 35.2 mg/m ³ STEL: 10 ppm	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 5 ppm TWA: 18 mg/m ³ STEL: 10 ppm STEL: 35 mg/m ³
Toluene 108-88-3	* STEL: 100 ppm STEL: 384 mg/m ³ TWA: 50 ppm TWA: 192 mg/m ³	TWA: 200 mg/m ³ Ceiling: 500 mg/m ³ D*	TWA: 25 ppm TWA: 94 mg/m ³ H* STEL: 384 mg/m ³ STEL: 100 ppm	TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ A*	TWA: 25 ppm TWA: 81 mg/m ³ STEL: 100 ppm STEL: 380 mg/m ³ iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Vinyl acetate 108-05-4	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 35.2 mg/m ³ STEL: 10 ppm	TWA: 10 ppm TWA: 36 mg/m ³ H*	TWA: 10 ppm TWA: 36 mg/m ³ Peak: 10 ppm Peak: 36 mg/m ³ *	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 17.6 mg/m ³ TWA: 5 ppm STEL: 35.2 mg/m ³ STEL: 10 ppm
Toluene 108-88-3	TWA: 20 ppm TWA: 76.8 mg/m ³ STEL: 100 ppm	TWA: 50 ppm TWA: 190 mg/m ³ H*	TWA: 50 ppm TWA: 190 mg/m ³ Peak: 100 ppm	TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm	TWA: 190 mg/m ³ TWA: 50 ppm STEL: 384 mg/m ³

	STEL: 384 mg/m ³ *		Peak: 380 mg/m ³ *	STEL: 384 mg/m ³ *	STEL: 100 ppm b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Vinyl acetate 108-05-4	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 10 ppm TWA: 35 mg/m ³ STEL: 15 ppm STEL: 53 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³
Toluene 108-88-3	TWA: 192 mg/m ³ TWA: 50 ppm STEL: 384 mg/m ³ STEL: 100 ppm Sk*	TWA: 50 ppm TWA: 192 mg/m ³ cute*	TWA: 20 ppm TWA: 75.4 mg/m ³	TWA: 14 ppm TWA: 50 mg/m ³ STEL: 40 ppm STEL: 150 mg/m ³ Ada*	O* TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Vinyl acetate 108-05-4	STEL: 35.2 mg/m ³ STEL: 10 ppm TWA: 17.6 mg/m ³ TWA: 5 ppm	skin* STEL: 10 ppm STEL: 35.2 mg/m ³ TWA: 17.6 mg/m ³ TWA: 5 ppm	TWA: 5.1 ppm TWA: 18 mg/m ³ STEL: 10.2 ppm STEL: 36 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	STEL: 30 mg/m ³ TWA: 10 mg/m ³
Toluene 108-88-3	Peau* STEL: 100 ppm STEL: 384 mg/m ³ TWA: 50 ppm TWA: 192 mg/m ³	skin* STEL: 100 ppm STEL: 384 mg/m ³ TWA: 50 ppm TWA: 192 mg/m ³	TWA: 39 ppm TWA: 150 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³	TWA: 25 ppm TWA: 94 mg/m ³ STEL: 37.5 ppm STEL: 141 mg/m ³ H*	STEL: 200 mg/m ³ TWA: 100 mg/m ³ skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Vinyl acetate 108-05-4	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 10 ppm TWA: 36 mg/m ³ Ceiling: 35.2 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³	TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³
Toluene 108-88-3	TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ Cutânea*	TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ P*	TWA: 50 ppm TWA: 192 mg/m ³ K* Ceiling: 384 mg/m ³	TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ K*	TWA: 50 ppm TWA: 192 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ vía dérmica*
Chemical name	Sweden		Switzerland		United Kingdom
Vinyl acetate 108-05-4	NGV: 5 ppm NGV: 18 mg/m ³ Bindande KGV: 10 ppm Bindande KGV: 35 mg/m ³		TWA: 10 ppm TWA: 35 mg/m ³ STEL: 10 ppm STEL: 35 mg/m ³		TWA: 5 ppm TWA: 17.6 mg/m ³ STEL: 10 ppm STEL: 35.2 mg/m ³
Toluene 108-88-3	NGV: 50 ppm NGV: 192 mg/m ³ Bindande KGV: 100 ppm Bindande KGV: 384 mg/m ³ H*		TWA: 50 ppm TWA: 190 mg/m ³ STEL: 200 ppm STEL: 760 mg/m ³ H*		TWA: 50 ppm TWA: 191 mg/m ³ STEL: 100 ppm STEL: 384 mg/m ³ Sk*

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Toluene 108-88-3	-	10 g/dL Hemoglobin (blood - by the first screening and once yearly) 12 g/dL Hemoglobin (blood - by the first screening and once yearly) 3.2 million/ μ L Erythrocytes (blood -	1.6 mmol/mmol Creatinine - urine (Hippuric acid) - at the end of exposure or end of work shift	1.0 mg/L - blood (Toluene) - at the end of the work shift 20 ppm - final exhaled air (Toluene) - during exposure 2.50 g/g Creatinine - urine (Hippuric acid) - at the end of the	1.6 μ mol/mmol Creatinine (urine - o-Cresol end of shift) 1000 μ mol/mmol Creatinine (urine - Hippuric acid end of shift) 1.5 mg/g Creatinine (urine - o-Cresol end of shift)

		by the first screening and once yearly) 3.8 million/ μ L Erythrocytes (blood - by the first screening and once yearly) 4000 Leukocytes/ μ L (blood - by the first screening and once yearly) 13000 Leukocytes/ μ L (blood - by the first screening and once yearly) 130000 Thrombocytes/ μ L (blood - by the first screening and once yearly) 150000 Thrombocytes/ μ L (blood - by the first screening and once yearly) 0.8 mg/L (urine - o-Cresol after end of work day, at the end of a work week/end of the shift)		work shift 1.0 mg/g Creatinine - urine (o-Cresol) - at the end of the work shift	1600 mg/g Creatinine (urine - Hippuric acid end of shift)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Toluene 108-88-3	-	500 nmol/L (blood - Toluene in the morning after a working day)	1 mg/L - venous blood (Toluene) - end of shift 2500 mg/g creatinine - urine (Hippuric acid) - end of shift	600 μ g/L (whole blood - Toluene immediately after exposure) 75 μ g/L (urine - Toluene end of shift) 1.5 mg/L (urine - o-Cresol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 1.5 mg/L (urine - o-Cresol (after hydrolysis) end of shift) 600 μ g/L - BAT (immediately after exposure) blood 75 μ g/L - BAT (end of exposure or end of shift) urine 1.5 mg/L - BAT (for long-term exposures: at the end of the shift after several shifts) urine	600 μ g/L (whole blood - Toluene immediately after exposure) 75 μ g/L (urine - Toluene end of shift) 1.5 mg/L (urine - o-Cresol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 1.5 mg/L (urine - o-Cresol (after hydrolysis) end of shift)

				1.5 mg/L - BAT (end of exposure or end of shift) urine	
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
Toluene 108-88-3	1 mg/g Creatinine (urine - o-Cresol end of shift) 1 µmol/mmol Creatinine (urine - o-Cresol end of shift)	0.02 mg/L (blood - Toluene prior to last shift of workweek) 0.03 mg/L (urine - Toluene end of shift) 0.3 mg/g Creatinine (urine - o-Cresol end of shift)	-	0.3 mg/g Creatinine - urine (o-Cresol (with hydrolysis)) - end of shift 0.03 mg/L - urine (Toluene) - end of shift 0.02 mg/L - blood (Toluene) - prior to last shift of workweek	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
Toluene 108-88-3	1.6 g/g Creatinine - urine (Hippuric acid) - end of shift 0.05 mg/L - blood (Toluene) - end of shift	-	2 g/L - urine (Hippuric acid) - end of shift 3 mg/L - urine (o-Cresol) - end of shift	600 µg/L (blood - Toluene end of exposure or work shift) 1.5 mg/L (urine - o-Cresol after all work shifts) 1.5 mg/L (urine - o-Cresol end of exposure or work shift) 1600 mg/g creatinine (- Hippuric acid end of exposure or work shift)	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
Toluene 108-88-3	600 µg/L - blood (Toluene) - immediately after exposure 1.5 mg/L - urine (o-Cresol (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays 75 µg/L - urine (Toluene) - at the end of the work shift	0.6 mg/L (urine - o-Cresol end of shift) 0.05 mg/L (blood - Toluene start of last shift of workweek) 0.08 mg/L (urine - Toluene end of shift)	600 µg/L (whole blood - Toluene end of shift) 6.48 µmol/L (whole blood - Toluene end of shift) 2 g/g creatinine (urine - Hippuric acid end of shift, and after several shifts (for long-term exposures)) 1.26 mmol/mmol creatinine (urine - Hippuric acid end of shift, and after several shifts (for long-term exposures)) 0.5 mg/L (urine - o-Cresol end of shift, and after several shifts (for long-term exposures)) 4.62 µmol/L (urine - o-Cresol end of shift, and after several shifts (for long-term exposures)) 75 µg/L (urine - Toluol end of shift)	-	

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Hydrogenated base oil 64742-54-7	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]
Hydrogenated base oil 64742-54-7	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]
Hydrogenated base oil 64742-65-0	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m³ [4] [6] 5.58 mg/m³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
Vinyl acetate 108-05-4	-	0.42 mg/kg bw/day [4] [6]	17.6 mg/m ³ [4] [6] 35.2 mg/m ³ [4] [7] 17.6 mg/m ³ [5] [6] 35.2 mg/m ³ [5] [7]
Hydrogenated base oil 64741-88-4	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6] 5.58 mg/m ³ [5] [6]
Toluene 108-88-3	-	384 mg/kg bw/day [4] [6]	192 mg/m ³ [4] [6] 384 mg/m ³ [4] [7] 192 mg/m ³ [5] [6] 384 mg/m ³ [5] [7]
Calcium long chain alkyl salicylate 114959-46-5	-	1 mg/kg bw/day [4] [6]	-
bis(nonylphenyl)amine 36878-20-3	-	5 mg/kg bw/day [4] [6]	-

Notes

- [4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Hydrogenated base oil 64742-54-7	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m ³ [5] [6]
Hydrogenated base oil 64742-54-7	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m ³ [5] [6]
Hydrogenated base oil 64742-65-0	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m ³ [5] [6]
Hydrogenated base oil 64741-88-4	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m ³ [5] [6]
Toluene 108-88-3	8.13 mg/kg bw/day [4] [6]	-	56.5 mg/m ³ [4] [6] 226 mg/m ³ [4] [7] 56.5 mg/m ³ [5] [6] 226 mg/m ³ [5] [7]
Calcium long chain alkyl salicylate 114959-46-5	0.5 mg/kg bw/day [4] [6]	-	-
bis(nonylphenyl)amine 36878-20-3	0.25 mg/kg bw/day [4] [6]	-	-

Notes

- [4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Vinyl acetate 108-05-4	0.016 mg/L	0.126 mg/L	0.0016 mg/L	-	-
Toluene	0.68 mg/L	0.68 mg/L	0.68 mg/L	-	-

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
108-88-3					
Calcium long chain alkyl salicylate 114959-46-5	1 mg/L	10 mg/L	0.1 mg/L	-	-
bis(nonylphenyl)amine 36878-20-3	0.412 mg/L	1 mg/L	0.0412 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Hydrogenated base oil 64742-54-7	-	-	-	-	9.33 mg/kg food
Hydrogenated base oil 64742-54-7	-	-	-	-	9.33 mg/kg food
Hydrogenated base oil 64742-65-0	-	-	-	-	9.33 mg/kg food
Vinyl acetate 108-05-4	0.067 mg/kg sediment dw	0.0067 mg/kg sediment dw	6 mg/L	0.0035 mg/kg soil dw	-
Hydrogenated base oil 64741-88-4	-	-	-	-	9.33 mg/kg food
Toluene 108-88-3	16.39 mg/kg sediment dw	16.39 mg/kg sediment dw	13.61 mg/L	2.89 mg/kg soil dw	-
Calcium long chain alkyl salicylate 114959-46-5	4.02 mg/kg sediment dw	0.402 mg/kg sediment dw	10 mg/L	2.62 mg/kg soil dw	-
bis(nonylphenyl)amine 36878-20-3	1 mg/kg sediment dw	0.1 mg/kg sediment dw	-	-	-

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection

If there is a risk of contact: Wear safety glasses with side shields (or goggles).

Hand protection

If there is a risk of contact: Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.

Skin and body protection

If there is a risk of contact: Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Physical state	Liquid
Colour	Amber
Odour	Mild hydrocarbon
Odour threshold	No information available

Property**Values****Remarks • Method**

Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point	220 °C	Cleveland Open Cup ASTM D 92
Autoignition temperature		No data available
Decomposition temperature		No data available
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity	83.3 cSt @ 40 °C 13.6 cSt @ 100 °C	ASTM D445
Dynamic viscosity		No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Vapour pressure		No data available
Relative density	0.8514	No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

Pour Point	-39 °C [ASTM D 97]
------------	--------------------

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

Fire Point	238 °C (COC)[ASTM D 92]
------------	-------------------------

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity	None under normal use conditions.
------------	-----------------------------------

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Ethers. Miscellaneous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause temporary eye irritation. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation in susceptible persons.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogenated base oil 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hydrogenated base oil 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hydrogenated base oil 64742-65-0	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m ³ (Rat) 4 h
Vinyl acetate 108-05-4	= 2900 mg/kg (Rat)	= 2335 mg/kg (Rabbit)	= 3680 ppm (Rat) 4 h
Toluene 108-88-3	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h

Calcium long chain alkyl salicylate 114959-46-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
bis(nonylphenyl)amine 36878-20-3	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information	
Hydrogenated base oil (64742-54-7)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Species	Rabbit
Exposure route	Dermal
Effective dose	0.5 mL
Exposure time	24 hours
Results	non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information	
Hydrogenated base oil (64742-54-7)	
Species	Rabbit
Exposure route	Eye
Effective dose	0.1 mL
Exposure time	72 hours
Results	non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information	
Hydrogenated base oil (64742-54-7)	
Method	OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay
Species	Guinea pig
Exposure route	Dermal
Results	Not a skin sensitiser

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Hydrogenated base oil	Carc. 1B
Hydrogenated base oil	Not classified
Hydrogenated base oil	Carc. 1B
Vinyl acetate	Carc. 2

Reproductive toxicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Toluene	Repr. 2

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Due to the viscosity, this product does not present an aspiration hazard.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogenated base oil 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Hydrogenated base oil 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Hydrogenated base oil 64742-65-0	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Vinyl acetate 108-05-4	-	LC50: =14mg/L (96h, Pimephales promelas) LC50: 15.04 - 21.54mg/L (96h, Lepomis macrochirus) LC50: 26.1 - 36.63mg/L (96h, Poecilia reticulata)	-	-
Toluene 108-88-3	EC50: >433mg/L (96h, Pseudokirchneriella subcapitata) EC50: =12.5mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 15.22 - 19.05mg/L (96h, Pimephales promelas) LC50: =12.6mg/L (96h, Pimephales promelas) LC50: 5.89 - 7.81mg/L (96h, Oncorhynchus mykiss) LC50: 14.1 - 17.16mg/L (96h, Oncorhynchus mykiss) LC50: =5.8mg/L (96h, Oncorhynchus mykiss) LC50: 11.0 - 15.0mg/L (96h, Lepomis macrochirus) LC50: =54mg/L (96h, Oryzias latipes) LC50: =28.2mg/L (96h,	-	EC50: 5.46 - 9.83mg/L (48h, Daphnia magna) EC50: =11.5mg/L (48h, Daphnia magna)

		Poecilia reticulata) LC50: 50.87 - 70.34mg/L (96h, Poecilia reticulata)		
bis(nonylphenyl)amine 36878-20-3	-	LC50: >1000mg/L (96h, Pimephales promelas)	-	-

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
Vinyl acetate	0.73
Toluene	2.73
Calcium long chain alkyl salicylate	5.32

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Hydrogenated base oil 64742-54-7	The substance is not PBT / vPvB
Hydrogenated base oil 64742-54-7	The substance is not PBT / vPvB
Hydrogenated base oil 64742-65-0	The substance is not PBT / vPvB
Vinyl acetate 108-05-4	The substance is not PBT / vPvB
Toluene 108-88-3	The substance is not PBT / vPvB
Calcium long chain alkyl salicylate 114959-46-5	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special Precautions for Users
Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments No information available

RID Not regulated
14.1 UN number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special Precautions for Users
Special Provisions None

ADR Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special Precautions for Users
Special Provisions None

IATA Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special Precautions for Users
Special Provisions None
Note: None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
Toluene 108-88-3	RG 4bis, RG 84

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Toluene	-	-	Development Category 2

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Hydrogenated base oil - 64742-54-7	28. 75.	-
Hydrogenated base oil - 64742-54-7	28. 75.	-
Hydrogenated base oil - 64742-65-0	28. 75.	-
Vinyl acetate - 108-05-4	75.	-
Toluene - 108-88-3	48. 75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment**Chemical Safety Report**

No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H350 - May cause cancer

Legend

ATE: Acute Toxicity Estimate

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation
SCBA Self-contained breathing apparatus

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Issuing Date 07-Jun-2023

Revision Date 07-Jun-2023

Revision Note Initial Release.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet